EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	34	345/624.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 10:38
L2	42	345/624,651.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 10:42
L3	19484	(extract$4 or separat$4) with imag$4 same (rotate or rotating or rotation or rotated)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 10:43
L4	166	(extract$4 or separat$4) with imag$4 same (rotate or rotating or rotation or rotated) and (skew$4 or tilt$4) with document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 10:44
L5	20	(extract$4 or separat$4) with imag$4 with (region or area) same (rotate or rotating or rotation or rotated) and (skew$4 or tilt$4) with document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 10:54
L6	166	(extract$4 or separat$4) with imag$4 same (rotate or rotating or rotation or rotated) and (skew$4 or tilt$4) with document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 10:55
L7	85	(extract$4 or separat$4) with imag$4 with (rotate or rotating or rotation or rotated) and (skew$4 or tilt$4) with document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 10:57

EAST Search History

L8	0	(extract$4 or separat$4) with imag$4 with (rotate or rotating or rotation or rotated) with overlap$4 and (skew$4 or tilt$4) with document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 10:57
L9	105	(extract$4 or separat$4) with imag$4 with (rotate or rotating or rotation or rotated) with overlap$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 11:08
L10	15600	(extract$4 or separat$4) with imag$4 with (align$4 or register$4 or match$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 11:08
L11	1323	(extract$4 or separat$4) with imag$4 with (align$4 or register$4 or match$4) and (tilt$4 or skew$4 or inclination)with (document or image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 11:09
L12	198	(extract$4 or separat$4) with imag$4 with (align$4 or register$4 or match$4) and (tilt$4 or skew$4 or inclination)with (document or image) and recognition with (character or text)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 11:10
L13	6	(extract$4 or separat$4) with imag$4 with (align$4 or register$4 or match$4)with overlap$4 and (tilt$4 or skew$4 or inclination)with (document or image) and recognition with (character or text)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 11:12
L14	35	(extract$4 or separat$4) with imag$4 with (align$4 or register$4 or match$4)with overlap$4 and (tilt$4 or skew$4 or inclination)with (document or image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 11:12

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S76	794	protru$4 with image with rotat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 08:30
S77	88	protru$4 with image with rotat$4 and (tilt or skew$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 08:31
S78	1	protru$4 with image with rotat$4 with overlap$4 and (tilt or skew$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 08:32
S79	1	protru$4 with image with rotat$4 same overlap$4 and (tilt or skew$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 08:33
S80	2	protru$4 same image with rotat$4 same overlap$4 and (tilt or skew$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 08:33
S81	2	protru$4 same image with rotat$4 and (tilt or skew$4) with document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 08:34
S82	49	protru$4 with rotat$4 and (tilt or skew$4) with document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 08:36

EAST Search History

S83	25	protru$4 with rotat$4 with document and (tilt or skew$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 08:39
S84	46	protru$4 with rotat$4 with (document or image) and (tilt or skew$4) with (document or image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 08:42
S85	144	overlap$4 with rotat$4 with (document or image) and (tilt or skew$4) with (document or image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 08:45
S86	7	overlap$4 with rotat$4 with (document or image) with (outside or range) and (tilt or skew$4) with (document or image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 08:46
S87	422	rotat$4 with (document or image) with (outside or range) and (tilt or skew$4) with (document or image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 08:46
S88	2	rotat$4 with (document or image) with (outside or range)with original and (tilt or skew$4) with (document or image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 08:47
S89	186	rotat$4 with (document or image) with (outside or range) and (tilt or skew$4) near4(document or image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 08:48

S90	3	rotat$4 with (document or image) with (outside or range)same scanner and (tilt or skew$4) near4(document or image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 08:49
S91	364	rotat$4 with (document or image) same scanner and (tilt or skew$4) near4(document or image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 08:49
S92	228	rotat$4 near4 (document or image) same scanner and (tilt or skew$4) near4(document or image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 08:51
S93	1	rotat$4 near4 (document or image)with outside same scanner and (tilt or skew$4) near4(document or image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 08:50
S94	64	rotat$4 near4 (document) same scanner and (tilt or skew$4) near4(document)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:08
S95	595	rotat$4 near4 (document) and (tilt or skew$4) near4(document)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:08
S96	1	rotat$4 near4 (document) with overlapp$4 and (tilt or skew$4) near4(document)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:09

EAST Search History

S97	5	rotat$4 with overlapp$4 and (tilt or skew$4) near4(document)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:10
S98	36	rotat$4 with protru$4 and (tilt or skew$4) near4(document)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:14
S99	48	rotat$4 with protru$4 and (tilt or skew$4 or inclination) near4(document)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:15
S100	1204	rotat$4 with (document or image) and (tilt or skew$4 or inclination) near4(document)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:17
S101	361	rotat$4 with (document or image) and (tilt or skew$4 or inclination) near4(document) and recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:18
S102	256	rotat$4 with (document or image) and (tilt or skew$4 or inclination) near4(document) and recognition with (text or character)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:47
S103	1	rotat$4 with (document or image)with (los$4 or loss or lost) and (tilt or skew$4 or inclination) near4(document) and recognition with (text or character)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:49

S10 4	9	rotat$4 with (document or image)with (los$4 or loss or lost) and (tilt or skew$4 or inclination) near4(document)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:54
S10 5	726	rotat$4 with (document or image)with (los$4 or loss or lost)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 09:55
S10 6	270	rotat$4 with (document or image)with (los$4 or loss or lost) and (extract$4 or recognition)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:11
S10 7	260	rotat$4 with (document or image)with (outside) and (extract$4 or recognition)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:12
S10 8	14	rotat$4 with (document or image)with (outside) and (extract$4 or recognition) with (text or character)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:18
S10 9	33	rotat$4 with (document or image)with (outside) and (extract$4 or recognition or detect$4) with (text or character)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:21
S11 0	168	rotat$4 with (document or image)with (loss or lost or losing) and (extract$4 or recognition or detect$4) with (text or character)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:22

EAST Search History

S11 1	513	382/296.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:24
S11 2	23	382/296.ccls. and text with recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:24
S11 3	93	382/296.ccls. and (text or character) with recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:24
S11 4	11	382/296.ccls. and (text or character) with recognition and (loss or lost or los$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:44
S11 5	4	382/216.ccls. and (text or character) with recognition and (loss or lost or los$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:45
S11 6	0	382/216.ccls. and (text or character) with recognition with (loss or lost or los$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:45
S11 7	2	382/216.ccls. and recognition with (loss or lost or los$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:46

EAST Search History

S118	28	382/216.ccls. and (full or partial or complete) with (extract or recognition or match$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:48
S119	5	382/216.ccls. and (extract or recognition or match$4)with (loss or lost or los$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:49
S120	153	382/216.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:49
S121	1665	382/181.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:49
S122	31277	382/181.ccls. (extract or recognition or match$4)with (loss or lost or los$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:49
S123	14	382/181.ccls. and (extract or recognition or match$4)with (loss or lost or los$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:51
S124	29626	(extract or recognition or match$4)with (loss or lost or los$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:51

S12 5	26	(extract or recognition or match$4)with (loss or lost or los$4)and rotat$4 with document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 10:54
S12 6	12	(extract or recognition or match$4)with (redundant or extraneous)and rotat$4 with document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:00
S12 7	6	(extract or recognition or match$4)with (bound$4 with box)and rotat$4 with document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:03
S12 8	87	(extract or recognition or match$4)with (minimum or smallest)and rotat$4 with document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:04
S12 9	10	(extract or recognition or match$4)with (minimum or smallest) with (area or region)and rotat$4 with document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:08
S13 0	17	(extract$4 or recognition or match$4)with (minimum or smallest) with (area or region)and rotat$4 with document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:08
S13 1	79	superimpo$4 with document and tilt$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 15:14

S13 2	4	superimpo$4 with (rotate or rotating or rotated) and tilt$4 with document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 15:16
S13 3	4	overlap$4 with (rotate or rotating or rotated) and tilt$4 with document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 09:21
S13 4	154	382/216.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 09:21
S13 5	27	382/216.ccls. and (tilt$4 or skew$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 09:25
S13 6	346	(tilt$4 or skew$4) with (overlap$4 or superimpos$4) and recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 09:26
S13 7	77	(tilt$4 or skew$4) with (overlap$4 or superimpos$4) and (recognition with character)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 09:31
S13 8	4	(tilt$4 or skew$4) with (overlap$4 or superimpos$4) with (rotate or rotation or rotating or rotated) and (recognition with character)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 10:37

IEEE *Xplore*®
RELEASE 2.4

⊞▣Search Results   BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "((((((overlap*)<in>metadata))<and>(rotat*<in>metadata)))<and>(recognition<..."   ✉e-mail
Your search matched **33** of **196** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((((((overlap*)<in>metadata))<and>(rotat*<in>metadata)))<and>(recognition<in>meta   ▚Search▚

☐ Check to search only within this results set

Display Format: ◉ Citation   ○ Citation & Abstract

⌐[**view selected items**]   Select All Deselect All

☐   1. **Articulated object recognition, or: how to generalize the generalized Hou**
Beinglass, A.; Wolfson, H.J.;
Computer Vision and Pattern Recognition, 1991. Proceedings CVPR '91., IEEE
Society Conference on
3-6 June 1991 Page(s):461 - 466
Digital Object Identifier 10.1109/CVPR.1991.139736
AbstractPlus | Full Text: PDF(536 KB)   IEEE CNF
Rights and Permissions

☐   2. **Intelligent pattern recognition in 3D vision for robot control**
Fukuda, T.;
Artificial Intelligence for Industrial Applications, 1988. IEEE AI '88., Proceeding
International Workshop on
25-27 May 1988 Page(s):277 - 282
Digital Object Identifier 10.1109/AIIA.1988.13306
AbstractPlus | Full Text: PDF(348 KB)   IEEE CNF
Rights and Permissions

☐   3. **Recognition method of shape distorted objects using hierarchical feature**
Yang, J.Y.; Hu, Q.;
Pattern Recognition, 1988., 9th International Conference on
14-17 Nov. 1988 Page(s):894 - 896 vol.2
Digital Object Identifier 10.1109/ICPR.1988.28393
AbstractPlus | Full Text: PDF(208 KB)   IEEE CNF
Rights and Permissions

☐   4. **Automatic Recognition of Colloquial Australian Sign Language**
Holden, Eun-Jung; Lee, Gareth; Owens, Robyn;
Motion and Video Computing, 2005. WACV/MOTIONS '05 Volume 2. IEEE Wc
Volume 2, Jan. 2005 Page(s):183 - 188
Digital Object Identifier 10.1109/ACVMOT.2005.30
AbstractPlus | Full Text: PDF(234 KB)   IEEE CNF
Rights and Permissions

☐   5. **Omnifont Arabic optical character recognition system**
Kurdy, B.M.; AlSabbagh, M.M.;
Information and Communication Technologies: From Theory to Applications, 2
2004 International Conference on